

# Index

- abatement, 138–48  
absorption studies, 188–93  
acceptable ambient limits *see*  
community exposure limits  
accidental releases, 4, 62–86,  
233–7, 266–8  
ACGIH *see* American Conference  
of Government Industrial  
Hygienists  
active samplers, 363  
acute dermatitis, 163–4  
acute toxicity studies, 193–5  
adsorption, 127, 246  
systems, carbon, 139–43, 145  
aerodynamic diameter, 165, 378–9  
aerosols  
exposure, 35, 165–6  
properties, 165–6, 360–1,  
376–9  
releases, 127  
sampling, 360–1, 375–83  
*Agelaius phoeniceus*, 265  
air  
exposure, 230, 271  
hazard procedures, 270  
physicochemical behaviour,  
246–52  
risk procedures, 271  
air-purifying equipment, 55–9  
air-supplied equipment, 53–5  
air-supplied respiratory equipment,  
87  
airborne MDI/TDI  
chemical reactions, 359–60  
monitoring, 363–6, 370–2,  
383–93  
sampling methods, 359–418  
airborne organic vapour monitor  
(AVM), 390–2  
alarm systems  
storage levels, 98  
storage temperature, 97–8  
alcohols, chemical reactions, 292  
algae, toxicity studies, 259–60  
alkaline neutralizers, 40  
alveolitis, 183–4  
American Conference of  
Government Industrial  
Hygienists (ACGIH), 343–4,  
345  
American Society for Testing and  
Materials (ASTM), 301  
amines, chemical reactions, 293  
ammonia, concentrated aqueous,  
40  
analytical methods, 358–430  
airborne detection, 358–418  
decision circle, 361  
non-airborne detection, 418–21  
selection, 90  
animal studies, 163, 167, 186,  
187–203  
anisokinetic sampling, 375, 376  
1-(9-anthracenylmethyl)piperazine  
(MAP) HPLC method, 407–8  
aquatic ecotoxicity, 259–64  
aquatic food chain, 231  
aqueous scrubbing, 143–4  
assessment factors, 269–70  
asthma, 31, 36, 155, 161  
confounding factors, 172–5  
diagnosis, 177–9, 203–16  
immunological components,  
175  
incidence, 170–2  
occupational, 169–81  
prevalence, 170–2  
prognosis, 179–80  
symptoms, 168–9  
treatment, 209  
ASTM *see* American Society for  
Testing and Materials  
atmospheric exposure, 230, 271  
atmospheric releases, 266  
modelling, 354–7  
atopy, 173  
Australia, community exposure  
limits, 353  
autoignition, 311, 319  
*Avena sativa*, 264  
AVM *see* airborne organic vapour  
monitor  
bacteria, toxicity studies, 259  
Bayer AG drum and pool fire  
tests, 323, 328–33  
bioaccumulation, 257  
bioconcentration factors, 257  
biodegradation, 256–7  
biological molecules, chemical  
reactions, 294–5  
biological working tolerance  
limits, 351  
biomonitoring, 186–7  
biota, 230  
birds, toxicity studies, 265  
blanketing gases, 98  
blepharo-conjunctivitis, 163  
blocking, carbon bed, 140  
blood plasma sampling, 187  
blowing agents, 137, 138, 146  
boardstock plant releases, 129–30  
body entry points, 34  
body protection, 50  
boiling ranges, 304, 314  
boots, 51, 136–7  
brass, 94  
breathing *see* respiration  
breathing apparatus, 48, 51, 54–9,  
87  
breathing problems, 161  
bronchitis, 167–8  
bronze, 94  
bubblers, 372–3  
bulk disposal, 42  
bulk storage, 96–100  
bundling, 43  
cancer, 161, 185–6  
cans, 78–9  
capillary electrophoresis (CE),  
411–12  
carbamates, chemical reactions,  
293  
carbodiimides, 291, 297–8

- carbon adsorption systems, 139–43, 145
- carbon beds, 140
- carbon dioxide release, 93–4
- carbon reactivation, 143
- carboxylic acids, chemical reactions, 293
- carrier responsibilities, 79–86
- cartridge respirators, 48, 55–9
- CAS registry numbers, 286–7
- cascade impactors, 378
- case histories
- EU risk assessment, 7–8
  - rail accident MDI spillage, 68
  - road tanker TDI spillage, 67–8
  - ship TDI spillage, 68
  - Toxic Substances Control Act*, 6–7
- catalysts, 291, 298–9
- CE *see* capillary electrophoresis
- ceiling, threshold limit value, 344, 345–6
- channelling, carbon bed, 140
- check lists
- safety systems, 28
  - tank truck deliveries, 84–5
- chemical reactions, 291–300
- airborne MDI/TDI, 359–60
  - alcohols, 292
  - amines, 293
  - biological molecules, 294–5
  - carbamates, 293
  - carboxylic acids, 293
  - contamination during storage, 30–1, 93–4
  - MDI, 93–4, 292–300
  - MDA cross-reactivity, 164
  - mercaptans, 293–4
  - methylenediphenyl diamine, 164, 245–6
  - polymeric MDI, 239–41
  - polyol, 116
  - self-reactions, 291, 295–8
  - TDI, 93–4, 239, 240–4, 292–300
  - thiophenols, 293–4
  - toluene diamine, 245–6
  - water, 30–1, 93–4, 239–46, 292–3
- chemical structures, 14–15, 232, 285–6
- chemistry, airborne MDI/TDI, 359–60
- chronic eczema, 160
- chronic toxicity studies, 196–200
- cleaning procedures, 40–1
- clogging, carbon bed, 140
- clothing contamination, 45–6, 50, 66–7
- CMAD *see* count median aerodynamic diameter
- co-release studies, 146–7
- codes of practice, 5–8
- colorimetric detector tubes, 392–3
- commercial products, 288–9
- community exposure limits, 351–7
- community impacts, 4, 5
- concentrated aqueous ammonia, 40
- cone calorimeter tests, 324, 337
- confounding factors, 172–5
- conjunctivitis, 163
- constant flow air-supplied equipment, 54
- contact time, carbon adsorption, 140
- containers
- see also* drum containers
  - cans, 78–9
  - construction requirements, 75–9
  - excess pressures, 68–70
  - IBCs, 4, 76–8, 100–1
  - inter-modal tank, 75–6
  - labelling, 75, 267
  - pails, 78
  - pressurized carbon steel cylinders, 78
  - rail tank cars, 75–6
  - road tankers, 75–6
  - totes, 78
- contamination
- see also* decontamination
  - of MDI/TDI during storage, 30–1, 93–4
- conversion figures, 346, 347
- copper, 94
- corneal oedema, 163
- coronary heart disease, 161
- count median aerodynamic diameter (CMAD), 378–9
- cross-reactivity, MDI/MDA, 164
- cross-sectional studies, 182
- cyanides, 17
- Cyprinus carpio*, 257
- Daphnia magna*, 262
- decomposition, MDI, 304
- decontamination, 39–47
- clothing, 45–6, 50, 66–7
  - drum containers, 41–2, 114–16
  - equipment, 40–1
  - eyes, 63, 65, 157, 158–9
  - floor spillages, 43–4
  - hair, 66
  - oral, 157, 159–60
  - personal protective equipment, 46
  - road spillages, 45
  - skin, 63, 65–6, 157, 159
  - soil spillages, 44
  - water spillages, 44–5
- delivery procedures, 95–6
- density, 307, 308, 316
- dermatitis, 163–4
- design
- manufacturing processes, 106–8
  - storage facilities, 96–100
- detection
- airborne, 385–418
  - limit, 422
  - non-airborne, 418–21
  - overexposures, 350–1
  - vapour detection badges, 389–90
- di-n-butylamine HPLC method, 403
- diagnosis, 177–9, 203–16
- differential scanning calorimetry (DSC), 301, 304–6, 315–16
- diisocyanate asthma, 170–81, 203–16
- diisocyanatodiphenylmethane *see* methylene diphenyl diisocyanate
- diking, 43
- dimerization, 94, 99–100, 291, 295–7
- dimethylsulphoxide, 369
- nitration, 281
- diphenylmethane diisocyanate *see* methylene diphenyl diisocyanate
- direct-reading methods, 385–93
- dispersion modelling, 248–9
- disposable clothing, 50
- disposal, 5, 39–47
- distribution, 188–93, 237–57
- dose, definition, 1
- driver training, 79–80
- drum containers, 4
- cleaning procedures, 41
  - construction requirements, 78
  - decontamination, 41, 114–16
  - disposal, 41
  - draining, 102–6
  - excess pressure build up, 68–70
  - fire tests, 328–32
  - labelling, 43
  - melting out, 101–6
  - neutralization problems, 40
  - reconditioning, 115–16
  - storage temperatures, 101–2
  - taking samples, 106
  - water contamination, 30–1, 93–4
- drum puncturing devices, 69
- DSC *see* differential scanning calorimetry
- duct velocity, 110–11
- dust exposure, 35
- duty of care, 33–4
- earthworms, toxicity studies, 265
- ecosystem study, 263–4
- ecotoxicity, 229, 232

- eczema, 160, 164  
 effluent, aqueous scrubbers, 144  
*Eisenia foetida*, 265  
 elastomers, 11  
   manufacturing process releases, 136–7  
 ELISA *see* enzyme-linked immunosorbent assay  
 emergencies  
   equipment, 48, 65, 85  
   planning, 27  
   procedures, 73, 74, 85  
   teams, 62, 86  
   workplace, 124–5  
 Emergency Planning Community Right to Know Act (EPCRA), 95  
 environment  
   compartments, 230  
   effects, 9  
   exposure, 229, 232  
   hazard, 229, 232  
   risk assessment, 2, 7–8, 229–33, 265–72  
   studies  
     soil, 244  
     water, 239–44  
 enzyme-linked immunosorbent assay (ELISA), 175–6  
 EPCRA *see* Emergency Planning Community Right to Know Act  
 epidemiological studies, 181–3  
 ethanol HPLC method, 394  
 ethyl carbamate, 17  
 EU *see* European Union  
 European Isocyanate Producers Association (ISOPA), 8  
 European Union (EU)  
   Directives, 322  
   polyurethane industry, 3  
   release statistics, 129–31, 133–7, 147–8  
   risk assessment, 7–8  
   TREM CARDS, 73  
 EUSES multimedia model for air releases, 254–5  
 ex stack concentrations, 126, 128–9, 138  
 excess lung function decrement, 181–3  
 excretion studies, 188–93  
 exothermic decomposition, MDI, 304  
 experimental toxicology, 187–203  
 explosivity, 311, 319  
 extinguishing fires, 71–2  
 eye  
   contamination, 63, 65, 156, 157, 158–9  
   irritations, 161, 163  
   protection, 51  
   face shields, 51  
   fenceline limits *see* community exposure limits  
   fibreboard plant releases, 131  
   field observations, MDI eye irritation, 163  
 filters, 56, 98  
   III study samplers, 382–3  
   monitoring, 365–6, 373–4, 399–400  
 fire  
   behaviour, 70–2, 321–42  
   properties, 70–2, 311, 319  
   severity parameters, 322  
   tests, 323–39  
 Fire Modelling Simulating Transfers and Risks to the Environment (MISTRAL), 322, 337  
 first aid procedures, 62–3, 156–60  
 fish, 257, 261–2  
 flame lamination releases, 135, 136, 145–6  
 flash point, 311, 319  
 flexible foams, 11  
   moulding releases, 132–5  
   sampling/analysis, 420–1  
   slabstock process, 117–18  
 floor contamination, 43–4  
 flu, 161  
 fluorescence detectors, 403–8  
 foam moulding processes, 119–21  
 foot protection, 51  
 freezing ranges  
   MDI, 303–4  
   TDI, 314  
 frequency of monitoring, 91  
 fugitive emissions, 126–7  
 fume cupboards, 122–3  
 functionality, polymeric MDA, 278  
 gas chromatography (GC), 408–10, 419–21  
 gas tube methods, 365  
 GC *see* gas chromatography  
 genetic toxicology studies, 200–1  
 genotoxicity, 200  
 glass tube method, III study, 383  
 gloves, 51  
 GMD Sure-Spot™ equipment, 389, 390  
 goggles, 51  
 Guideline Technical Reports, ISO, 323  
 hair contamination, 66  
 hand protection, 51  
 handling issues, 9, 25–39  
 hay fever, 160  
 hazard  
   air, 270  
   definition, 1–2  
   environmental, 229, 258–65  
   estimation, 230–2  
   ratings, NFPA, 71  
   soil, 272  
   test procedures, 258–9  
   water, 271–2  
 health, 9, 31–2  
   data on other organs, 185–6  
   eye exposure, 163  
   general conditions, 162–3  
   inhalation exposure studies, 190–2  
   medical examinations, 36–9, 160–2  
   medical survey forms, 210–15  
   oral exposure, 165  
   protecting health, 33–9  
   respiratory tract exposure, 165–85  
   risk assessment, 2  
   skin exposure, 163–5  
   symptoms, 31, 33, 35–6, 160–2  
   treatment, 156–60, 209  
 high performance liquid chromatography (HPLC), 130, 135, 240–1, 367, 393–408, 419–21  
 high pressure mixing, 112, 120  
 hoses, 83  
 hot-wire cutting releases, 135–6  
 housekeeping, 114  
 HPLC *see* high performance liquid chromatography  
 HSA *see* human serum albumen  
 human serum albumen (HSA), 175–7  
 hydrogenation, 281  
 hydrolysis, 189–90  
 hypersensitivity pneumonitis, 183–4  
 IBCs *see* intermediate bulk containers  
 IgE *see* immunoglobulin E  
 antibodies  
 IgG *see* immunoglobulin G  
 antibodies  
 III *see* International Isocyanate Institute Inc.  
 immissions, 127  
 immunoglobulin E (IgE)  
   antibodies, 169, 176  
 immunoglobulin G (IgG)  
   antibodies, 176  
 immunological components, 175  
 impingers, 365–6, 372–3, 395–6  
 incineration, 116  
 incorrect synonyms, 289  
 indirect sampling methods, 393–418

- Industrial Source Complex Short Term Dry Deposition Model, 355
- INERIS *see* Institut National de l'Environnement Industriel et des Risques
- influenza, 161
- infrared spectra, 302–3, 312–13
- ingestion, 63, 156
- inhalation, 156, 157, 158, 190–2
- inspections  
pre-transfer, 80  
storage facilities, 84
- Institut National de l'Environnement Industriel et des Risques (INERIS), 322–8
- pool fire tests, 323–8
- Institute of Occupational Medicine (IOM) filter sampler, III study, 381–2
- integral skin foams, 11
- Integrated Risk Information System (IRIS), 354
- inter-modal tank containers, 75–6
- intermediate bulk containers (IBCs), 4, 76–8, 100–1
- International Isocyanate Institute Inc. (III), 128–9, 379–83
- International Standards Organization (ISO), 323  
ISO, 9001 27, 28  
ISO, 14001 28
- International Uniform Chemicals Information Database (IUCLID), 8
- invertebrates, toxicity studies, 260–1
- ion-mobility spectrometry, 366, 390–2
- IRIS *see* Integrated Risk Information System
- ISO *see* International Standards Organization
- Iso-ChekSTMs, 412–13
- isocyanurates, 291
- isokinetic sampling, 375, 376
- isomer ratio, TDI, 319
- ISOPA *see* European Isocyanate Producers Association
- isothiocyanates, 17
- IUCLID *see* International Uniform Chemicals Information Database
- jet flows, 109
- labelling, 75, 267
- laboratory equipment, 122–3  
*Lactuca sativa*, 264
- leaks, 70
- legislation, 88–9
- limit of detection (LOD), 422
- limit of quantitation (LOQ), 422
- liquid exposure, 35
- liquid neutralizers, 40, 46–7
- loading procedures, 80
- LOAEL *see* lowest observed adverse effect level
- LOD *see* limit of detection
- long-term monitoring results, 89–90
- longitudinal studies, 182
- LOQ *see* limit of quantitation
- low density foams, 11
- low pressure mixing, 111–12, 120
- lowest observed adverse effect level (LOAEL), 354
- lung-powered cartridge respirators, 57–8
- lungs, 161, 168, 181–3, 205–8
- maintenance, 113
- MAMA *see* 9-(N-methylamino-methyl)anthracene
- manufacture  
MDI, 277–80, 282–4  
TDI, 280–3
- MAP *see* 1-(9-anthracenylmethyl)piperazine
- Marcali method, 415–17, 421–2
- margin of safety approach, 2
- masks, 53
- mass median aerodynamic diameter (MMAD), 378–9
- mass spectra, 303, 313–14
- material safety data sheets (MSDS), 29–30
- maximum exposure limit (MEL), 344–5
- maximum tolerated dose (MTD), 197
- maximum workplace limits *see* occupational exposure limits
- MCS *see* multiple chemical sensitivity
- MDA *see* methylenediphenyl diamine
- MDI *see* methylene diphenyl diisocyanate; modified MDI; polymeric MDI; pure MDI
- medical *see* health
- MEL *see* maximum exposure limit
- melting temperatures, 30, 303–4, 314
- mercaptans, chemical reactions, 293–4
- metabolism studies, 188–93
- metering trials, 42
- methacholine testing, 208
- 1-(2-methoxyphenyl)piperazine HPLC method, 400–3
- methyl isocyanate, 17
- 9-(N-methylaminomethyl)anthracene (MAMA) HPLC method, 403–6
- methylene chloride, 137, 138
- methylenediphenyl diisocyanate (MDI)  
*see also* modified MDI; polymeric MDI; pure MDI
- acute toxicity studies, 194–5
- aerosol release model, 248
- atmospheric degradation and hydroxyl radicals, 250–1
- basic information, 30–1
- chemical properties, 93–4
- chemical reactions, 93–4, 292–300
- chemical structures, 14, 232, 285–6
- environmental effects, 32–3
- exposure limits, 343–57
- eye irritation, 163
- fire, 311, 321–42
- hazard, 258–65
- health effects, 31–2
- importance, 1
- laboratory use, 122–3
- manufacture, 277–80, 282–4
- mixtures, 284
- monomer forms, 14
- non-polyurethane uses, 23
- oral effects, 165
- physical properties, 300–11
- physicochemical behaviour, 237–57
- product lifecycle, 233–4
- production levels, 12–14
- properties, 127
- regulations, 95
- releases, 4–5, 129–32, 133, 138–9
- skin irritation studies, 164–5
- storage temperatures, 97
- types, 13–15
- typical exposure levels, 92
- methylenediphenyl diamine (MDA), 164
- atmospheric degradation, 250–1
- biodegradation, 256–7
- chemical structure, 232
- toxicity studies, 262–3
- water/soil reactions, 245–6
- mini-impingers, 383
- misconceptions, 16–17
- MISTRAL *see* Fire Modelling Simulating Transfers and Risks to the Environment
- MMAD *see* mass median aerodynamic diameter
- MNMA *see* N-methyl-1-naphthylmethylamine HPLC method
- modelling, 67, 354–7

- modified MDI, 13–15, 282–4  
modified TDI, 15, 282–4  
monitoring, 1  
  after fire, 72  
  airborne MDI/TDI, 363–6,  
    370–2, 383–93  
  biomonitoring, 186–7  
  chromatographic methods,  
    393–412  
  direct reading methods, 390–3  
  exposure, 59–62  
  filters, 365–6, 373–4, 399–400  
  frequency, 91  
  impingers, 365–6, 372–3,  
    395–6  
  ion-mobility spectrometry, 366,  
    390–2  
  long-term results, 89–90  
  methods, 60–1, 363–6  
  nonairborne MDI/TDI, 418–21  
  objects, 59–60  
  paper tape monitors, 363,  
    370–2, 380–1, 387–9  
  personnel, 27  
  requirements, 59  
  sorbent tubes, 366, 395  
  stacks, 383–6  
  temperature, 97–8  
  timing, 61–2  
  vapour detection badges,  
    389–90  
  workplace releases, 89–93  
monomeric MDI *see* pure MDI  
motor-powered cartridge  
  respirators, 58–9  
moving tape systems, 364  
MSDS *see* material safety data  
  sheets  
MTD *see* maximum tolerated dose  
multimedia distribution, 252–4  
multiple chemical sensitivity  
  (MCS), 185
- N-methyl-1-naphthylmethylamine  
  (MNMA) HPLC method,  
  403, 412  
1-naphthalenemethylamine (NMA)  
  HPLC method, 403  
national emergency response  
  schemes, 86  
neutralization, 116  
  definition, 39–40  
  potential problems, 40, 42  
  spillages, 43–6  
neutralizers  
  standard formulations, 46–7  
  types, 40  
NFPA *see* US National Fire  
  Protection Association  
NIOSH methods, 367  
nitroreagent HPLC method, 394–6
- NMA *see*  
  1-naphthalenemethylamine  
  HPLC method  
NMAD *see* number mean  
  aerodynamic diameter  
no observed adverse effect level  
  (NOAE), 1  
no observed effect level (NOEL),  
  354  
NOAEL *see* no observed adverse  
  effect level  
NOEL *see* no observed effect  
  level  
nomenclature, 285–91  
non-confirmed exposure effects,  
  185–6  
nonspecific bronchial  
  hyperresponsiveness (NSBH),  
  180–1  
normal usage discharges, 127,  
  268–72  
North America, 353  
  *see also* United States  
NSBH *see* nonspecific bronchial  
  hyperresponsiveness  
number mean aerodynamic  
  diameter (NMAD), 37–9
- occupational asthma, 169–81  
occupational exposure limits  
  (OELs), 31–2, 87, 343–51  
occupational history, 205  
octanol-water partition coefficient,  
  253  
odour thresholds, 36  
OECD Test Guidelines, 256–7,  
  301  
OELs *see* occupational exposure  
  limits  
off-property limits *see* community  
  exposure limits  
oligoisocyanates, 13–14  
on demand air-supplied  
  equipment, 54–5  
*Oncorhynchus mykiss*, 257, 263  
operational procedures, 26  
oral contamination, 63  
oral exposure studies, 192  
organizational responsibilities,  
  26  
oriented strand board plant  
  releases, 131  
OSHA methods, 367  
over-sampling, 375  
overall loading rate, 258  
overalls, 50  
ozone, 252
- p*-tolyl isocyanate (PTI), 251,  
  252  
*Pagrus major*, 262, 267
- paper tape monitoring, 363,  
  370–2, 380–1, 387–90, 418  
particle size determination, 376,  
  378–9  
partition coefficients, 253–4  
passive badge systems, 363  
passive dosimeter, 413–15  
patch-testing, 164–5  
peak expiratory flow rate (PEFR),  
  205–8  
peak flow meter diary, 207, 216  
PEC *see* Predicted Environmental  
  Concentrations; predicted  
  exposure concentration  
PEFR *see* peak expiratory flow  
  rate  
permissible exposure limits *see*  
  occupational exposure limits  
persistence, 237–57  
personal protective equipment,  
  46–50  
personnel monitoring, 27  
phenyl isocyanate, 237–8  
phenylurea, 245  
phosgenation, 281–2  
photo-oxidation, 250–2  
photochemical smog, 252  
physical properties, 301–19  
piezoelectric methods, 412  
pipework, 94, 98, 108  
plants, toxicity studies, 264  
PNEC *see* predicted no-effect  
  concentration  
polyisocyanurates, 18  
polymeric MDA, 278–9  
polymeric MDI, 13–15, 278–80  
  major spillages, 234  
  physical properties, 301–11  
  pond study, 244  
  reaction with water, 239–41  
  temperature constraints, 97  
  temperature-viscosity profile,  
    94  
polyol, 42, 70, 116  
polytetrafluoroethylene (PTFE),  
  94  
polyureas, 245  
polyurethanes  
  components, 19–20  
  European production, 3  
  global production, 18–19  
  industry, 1, 9, 11–13  
  manufacturing processes, 20–3,  
    107, 117–22  
  MDI/TDI use, 17–23  
  property matrix, 12  
  spraying, 121–2  
  thermal decomposition, 172  
  thermolysis, 113–14  
  types and uses, 11–13  
pond study, 263–4  
pool fire tests, 323, 328–33

- pre-existing medical conditions, 160–2
- pre-transfer inspections, 80
- Predicted Environmental Concentrations (PEC), 268–70
- predicted exposure concentration (PEC), 2
- predicted no-effect concentration (PNEC), 2, 269–70
- prepolymer process releases, 136–7
- prepolymers, 283
- pressure unloading, 83, 85
- pressurized carbon steel cylinders, 78
- processing equipment requirements, 87
- product data sheets, 88
- product knowledge, 29–33
- product stewardship, 5–6, 88
- production plants, 3–5
- protective equipment, 46–59, 80, 83
- PTFE *see* polytetrafluoroethylene
- PTI *see* *p*-tolyl isocyanate
- pulmonary cancer, 161
- pulmonary oedema, 168
- pumps, 83, 85, 98, 102–3
- pure MDI, 13–15, 280
  - dimer formation rate, 100
  - physical properties, 301–11
  - storage life, 100, 101
  - variants, 283–4
- 1*-(2-pyridyl)piperazine HPLC method, 396–400
- quantitative analysis, 419
- quantitative structure-activity relationship (QSAR), 251
- radioallergosorbent test (RAST), 175–6, 179
- RADS *see* reactive airways dysfunction syndrome
- rail tank cars, 75–6
- rail transport, 82
- random variations, 91
- RAST *see* radioallergosorbent test
- reaction injection moulding (RIM), 120–1
- reactivation, carbon, 143
- reactive airways dysfunction syndrome (RADS), 184–5
- reactivity *see* chemical reactions
- Reference Concentration (RfC), 353–4
- regulations, 6, 88–9, 95
- regulatory compliance, 350–1
- regulatory limits, 345–6
- relative density, 307
- repeated exposure studies, 196–200
- reproductive toxicology studies, 201–3
- respiration, 34
  - contamination, 63
  - diseases, 161, 168
  - inhalation, 156, 157, 158, 190–2
  - lungs, 161, 168, 181–3, 205–8
  - protection, 51–9, 87
  - sensitization, 195–6
  - tract effects, 196
- respirators, cartridge, 48
- Responsible Care<sup>®</sup> 5–8
- RUFu values, 410
- RfC *see* Reference Concentration
- rigid foams, 11, 121
- rigid injection moulding (RIM), 129
- RIM *see* reaction injection moulding; rigid injection moulding
- risk
  - assessment, 2, 7–8, 229–33, 265–72
  - definition, 1–2
  - function, 2
  - management, 2–5, 87–93
- roads
  - see also* transportation
  - contamination, 44, 45
  - tankers, 75–6, 79–80
- routine cleaning, 40–1
- sacrifice layer, 140
- safety data sheets *see* material safety data sheets
- safety systems, 25–8
- sampling
  - see also* monitoring methods, 90
  - airborne, 359–418
  - comparison, 377
  - nonairborne, 418–21
  - over/under, 375
  - problems, 368–9
  - strategy, 350–1
- saturated vapour concentrations (SVCs), 127, 349–50
- Science and Technology for Environmental Protection (STEP), 322
- secondary exposure, 231, 272
- self-reactions, 291, 295–8
- semi-rigid foams, 11
- sensitization, 164, 174–5, 195–6
- shoe sole manufacture, 136–7
- short-term exposure limit (STEL), 344, 345–6, 350
- silicone carrier solvents, 137
- single-dose studies, 193–5
- skin
  - contamination, 63, 65–6, 156, 157, 159
  - exposure studies, 193
  - problems, 161
  - sensitization, 164, 196
- slabstock plant releases, 129–30
- small-scale predictive fire tests, 333–9, 340
- smoke dangers, 323, 339
- smoking, 174, 343–4
- soil
  - contamination, 44
  - environmental studies, 244
  - exposure, 230
  - physicochemical behaviour, 244–52
  - predicted no-effect concentration, 272
  - releases, 268
  - sampling/analysis, 418–21
  - solid neutralizers, 40
  - solubilities, 308, 317
  - sorbent tubes, 366, 395
- specific inhalation challenge tests, 179
- spectrophotometric methods, 301–3, 311–14, 415–18
- spillages, 4
  - actions to be taken, 64–5
  - case histories, 67–8
  - emergency equipment, 65
  - modelling scenarios, 67
  - polymeric MDI, 234
  - possible causes, 63–4
  - TDI, 235–6
- spirometry, 37–9, 205
- split drums, 70
- spraying polyurethane, 121–2
- stack monitoring, 247–8, 351, 352, 383–6
- STEL *see* short-term exposure limit
- STEP *see* Science and Technology for Environmental Protection
- storage, 86, 95–106
  - contamination, 30–1, 93–4
  - facility inspections, 84
  - tanks, leaks, 70
- structures, chemical, 14–15, 232, 285–6
- Staurus vulgaris*, 265
- subchronic toxicity studies, 196–200
- surfactants, 291
- SVCs *see* saturated vapour concentrations
- swallowing, 156, 157
- symptoms, 31, 33, 35–6, 167–8
  - alveolitis, 183–4
  - asthma, 168–9

- RADS, 184  
synonyms, incorrect, 289  
systematic variations, 91  
systems design, 87–93  
systems houses, 4
- TDA *see* toluene diamine
- TDI *see* modified TDI; toluene diisocyanate
- TEDA *see* triethylenediamine
- temperature factors  
draining drums, 105  
drum decontamination, 115  
storage, 30, 97–8, 101–2  
transportation, 74, 80–1  
viscosity, 94–5
- terrestrial ecotoxicity, 264–5
- tertiary amine catalysts, 137–8, 146
- test methodology, 321–3
- test substances, 16
- Tewarson apparatus tests, 323, 333–7
- TGA *see* thermogravimetric analysis
- thermal decomposition chemistry, MDI, 304
- thermogravimetric analysis (TGA), 301, 306–7, 315–16
- thermolysis, 113–14
- thermoplastics, 20
- thermosets, 20
- thin layer chromatography (TLC), 410–11
- thiophenols, chemical reactions, 293–4
- Threshold Limit Values (TLV<sup>®</sup>s), 343–4, 345–6
- time-weighted average (TWA), 344, 345–6, 360
- TLC *see* thin layer chromatography
- TLV<sup>®</sup>s *see* Threshold Limit Values
- toluene, 137
- toluene diamine (TDA)  
atmospheric degradation, 250–1  
biodegradation, 256–7  
chemical structure, 232  
toxicity studies, 262–3  
water/soil reactions, 245–6
- toluene diisocyanate (TDI)  
acute toxicity studies, 195  
atmospheric degradation and hydroxyl radicals, 250–1  
atmospheric degradation and irradiation, 250  
basic information, 30–1  
chemical properties, 93–5  
chemical reactions, 93–4, 292–300  
chemical structures, 15, 232, 286  
environmental effects, 32–3  
exposure limits, 343–57  
eye irritation studies, 163  
fire behaviour, 321–42  
fire properties, 319  
hazard, 258–65  
health effects, 31–2  
importance, 1  
isomer ratios, 134–5  
laboratory use, 122–3  
major spillages, 235–6  
manufacture, 280–3  
non-polyurethane uses, 23  
oral effects, 165  
physical properties, 311–19  
physicochemical behaviour, 237–57  
product lifecycle, 233–4  
production levels, 12–13  
properties, 127  
reaction with water, 239, 240–4  
regulations, 95  
releases, 4–5, 132–7  
skin irritation studies, 164–5  
temperature-viscosity profile, 95  
types, 15  
typical exposure levels, 93  
typical storage temperatures, 97  
vapour detection badges, 389–90
- tolylene diisocyanate *see* toluene diisocyanate
- total reactive isocyanate group (TRIG) concentration, 129, 130, 345, 346–9
- totes, 78
- Toxic Substances Control Act* (TSCA), 7
- transport emergency cards (TREM CARDS), 73
- transportation, 4, 74  
containers, 75–9  
methods, 72–3  
regulations, 73–4
- TREM CARDS *see* transport emergency cards
- triethylenediamine (TEDA), 144, 250
- TRIG *see* total reactive isocyanate group concentration
- trimerization, 94, 297
- tryptamine HPLC method, 406–7
- TSCA *see* *Toxic Substances Control Act*
- Tulane denuder sampler, 413
- TWA *see* time-weighted average
- ultraviolet electromechanical detectors (UV/ECD), 400–3
- under-sampling, 375
- undetected overexposures, 350–1
- United Kingdom (UK)  
community exposure limits, 352–3  
maximum exposure limit, 344–5  
Workplace Analysis Scheme for Proficiency, 367
- United Nations Model Regulations on the Transport of Dangerous Goods*, 73
- United States  
community exposure limits, 2  
emergency procedure guides, 73, 74  
Environmental Protection Agency (USEPA), 353–4  
Risk Management Program, 95  
sampling methods, 384–5  
NFPA hazard ratings, 71  
recommended sampling/analysis methods, 367  
release statistics, 131–2  
*Toxic Substances Control Act*, 7  
unloading procedures, 80, 82–5  
ureas, 237–8, 293  
urethane, 17  
urine sampling, 186–7  
urticaria, 164
- US *see* United States
- UV/ECD *see* ultraviolet electromechanical detectors
- vapour detection badges, 389–90
- vapour exposure, 35
- vapour pressures, 308–11, 317–18
- ventilation, 47, 87, 108–11, 120, 128
- venturi systems, 143–4
- viscosity, 94–5, 308, 317
- visitors, 123–4
- volatile organic compounds (VOCs), 137–8
- volatility, 31, 127
- WASP *see* Workplace Analysis Scheme for Proficiency
- waste disposal, 116
- waste water treatment plants, 272
- water  
chemical reactions, 30–1, 93–4, 239–46, 292–3  
as contaminant, 30–1, 93–4  
contamination, 44–5  
exposure, 230  
procedure, 272  
hazard predicted no-effect concentration, 271  
physicochemical behaviour, 237–44, 245–6

- water *continued*  
  releases, 266–8  
  sampling/analysis, 418–21  
  transport, 82  
water soluble fraction (WSF),  
  258
- websites, 7  
wipe sampling techniques, 419–20  
workforce impacts, 4–5  
workplace  
  emergencies, 124–5  
  exposure, 31–2, 87, 343–51
- impacts, 4–5  
Workplace Analysis Scheme for  
  Proficiency (WASP), 367  
WSF *see* water soluble fraction
- zinc, 94

Thanks to Indexing Specialists (UK) Ltd for the creation of this index.